

MALTA UNIVERSITY.

ARGOTTI BOTANIC GARDENS

GENERAL CATALOGUE.

1924-25.

MALTA, 1924. Printed at the Government Printing Office / 1925

THE GREEN LIBRARY

Aeβ 45

MALTA UNIVERSITY.

ARGOTTI BOTANIC GARDENS

GENERAL CATALOGUE.

1924-25.

+ 15

N = Indigenous in the Maltese Islands

† = Seeds available for exchange

DICOTYLEDONES.

Acanthaceae.

- N † *Acanthus mollis*, Linn.
N ,, var. *albiflorus*, Borg.
 ,, *Schottii*, Linn.
Adhatoda Vasica, Nees.
† *Anisacanthus Wrightii*, A. Gray.
Aphelandra aurantiaca, Lindl.
Fittonia Verschaffelti, E. Coem.
 ,, *argyroneura*, E. Coem.
Justicia coccinea, Aubl.
 ,, *flava*, Kurtz.
† ,, *ventricosa*, Wail.
Peristrophe speciosa, Nees.
Sanchezia nobilis, Hook.
Ruellia Blumei, Steud.

Amaranthaceae.

- Alternanthera Achyrantha*, R. Br.
 ,, *sessilis*, R. Br.
† *Amaranthus blitum*, Linn.
 ,, *caudatus*, Linn.
 ,, *gangeticus*, Linn.
 ,, *paniculatus*, Linn.
 ,, *retroflexus*, Linn.
 ,, *salicifolius*, Hort. Veitch.
 ,, *hypochondriacus*, Linn.
 ,, *polygonoides*, Linn.
 ,, *quadricolor*, Hort.
N † ,, *grœcizans*, Linn.
Bosea Yerva-mora, Linn.
† *Celosia cristata*, Linn.
 ,, var. *monstruosa*, Hort.
 ,, var. *compacta*, Hort.

- † *Gomphrena coccinea*, Loud.
† " *globosa*, Linn.
† " " var. fl. albo, Hort.
† " " " roseo, Hort.
Iresine Herbstii, Hook.
" " var. bicolor, Hort.
† *Ochnida cannabina*, Linn.

Ampelidaceae.

- Ampelopsis* Veitchli, Hort.
Vitis Berlandieri, Planch.
† " *vinifera*, Linn.

Anacardiaceae.

- N *Corynocarpus laevigata*, Forst.
N *Pistacia Lentiscus*, Linn.
" *vera*, Linn.
† *Pleiogynum Solandri*, Engl.
Quebrachia Lorentzii, Grisb.
N *Rhus coriaria*, Linn.
" *toxicodendron*, Linn.
" *vernicifera*, D.C.
† *Schinus molle*, Linn.
† " *terebinthifolius*, Rad'di.

Anonaceae.

- † *Anona cherimolia*, Mill.

Apocynaceae.

- Amsonia Tabernæmontana*, Walt.
Apocynum androsæmifolium, Linn.
" *cannabinum*, Linn.
† *Nerium Oleander*, Linn.
† " " var. album, Hort.

- † *Nerium Oleander*, var. *album plenum*, Hort
† „ „ „ var. *rubrum*, Hort.
„ „ „ var. *fol. varieg.*, Hort.
Strophanthus Righieri, Linn.
† *Thevetia nereifolia*, Juss. ex Steud.
Vinca major, Linn.
„ „ „ fol. *varieg.*, Hort.
† „ „ *rosea*, Linn.
† „ „ „ var. *alba*, Hort.

Araliaceae.

- Acanthopanax sessiliflorum*, Seem.
Aralia elegantissima, Veitch.
„ *Sieboldi*, Hort.
„ *Veitchii*, Hort. ex. T. Moore.
„ Spec.

- N † *Hedera Helix*, Linn.
„ *arborea*, Sw. fl. Ind.
Meryta Denhamii, Seem.
† *Sciadophyllum digitatum*, G. Don.

Aristolochiaceae.

- † *Aristolochia fimbriata*, Cham.
† „ *elegans*, Mast.
„ *grandiflora*, Arruda.

Asclepiadaceae.

- † *Araujia sericifera*, Brot.
† *Asclepias curassavica*, Linn.
Ceropegia Woodii, Schltr.
Cynanchum acutum, Linn.
† *Cryptostegia madagascariensis*, Boj.
† *Gomphocarpus fruticosus*, R. Br.
Hoya carnosa, R. Br.

- † *Periploca grœca*, Linn.
† *Stapelia picta*, Don.
† „ *tigrina*, Decne.
† *Stephanotis floribunda*, Brongn
Vincetoxicum officinale, Moench.

Begoniaceae

- Begonia maculata*, Raddi.
„ *platanifolia*, Schott.
„ *ricinifolia*, A. Dietr.
„ *semperflorens*, Link & Otto.
„ *arborescens*, Raddi.
„ *Evarsiana*, Andr.
„ *fuchsioides*, Hook.
„ *Rex*, Putz.
„ *tuberosa*, Lam.
„ *angulatis*, Raddi.

Berberidaceae.

- Berberis vulgaris*, Linn.
Podophyllum Emodi, Wall.
„ *peltatum*, Linn.

Bignoniaceae.

- † *Bignonia Tweediana*, Lindl.
Eccremocarpus scaber, Ruiz. & Pav.
Jacaranda ovalifolia, R. Br.
† *Tecoma capensis*, Lindl.
„ *jasminoides*, Lindl. B.R.
† „ *stans*, Juss.

Bixinaceae.

- Aberia caffra*, Harv. & Soland.

Boraginaceae

- N † *Anchusa italicica*, Retz.
 „ *officinalis*, Linn.
 N † *Borago officinalis*, Linn.
 N † *Cerinthe aspera*, Roth.
 N † *Cynoglossum creticum*, Mill.
 „ *officinale*, Linn.
 Echium giganteum, Linn.
 N † „ *italicum*, Moench.
 N † „ *arenarium*, Guss.
 N † „ *plantagineum*, Linn.
 N † „ *parviflorum*, Moench.
 Heliotropium peruvianum, Linn.
 N † „ *europeum*, Linn.
 N *Lithospermum apulum*, Linn.
 N † *Myosotis sylvatica*, Hoffm.
 † *Omphalodes linifolia*, Moench.
 N *Symphytum officinale*, Linn.
 Tournefortia Messerschmidia, Sweet.

Cactaceae.

- Cereus serpentinus*, D.C.
 „ *speciosissimus*, D.C.
 „ *rostratus*, Linn.
 „ *Mac Donaldiae*, Hook.
 „ *peruvianus*, Mill.
 „ *Martianus*, Zucc.
 „ *variabilis*, Pfeiff.
 „ *triangularis*, Mill.
 „ *candicans*, Gill. ex Salm.
 „ *niger*, Salm.
Echinocactus Decaisnei, Steud.
 „ Spec.
 „ Spec.
Epiphyllum truncatum, Haw. Suppl.

Mamillaria conopsea, Scheidn.

- „ micromeris, Engelm.
„ magnimamma, Haw. in Till.
„ cespititia, D. C.
„ spec.
„ spec.

Opuntia andicola, Hort. Angl.

- N † „ Amyclaea, Tenore.
„ Ficus-indica, Lab.
„ polyantha, Haw.
„ elatior, Mill.
„ monacantha, Haw.
„ ovata, Pleiff.
„ brasiliensis, Haw. Suppl.
„ Dillenii, Haw. Suppl.
„ microdasys, Pfeiff.
„ rufida, Engelm.
„ candelabrum, Hort. Monac.
„ cylindrica, D. C.
„ leucotricha, D. C.
„ tunicata, Haw.
„ fragilis, Haw. Suppl.
„ Salmiana, Parm. ex Pfeiff.
Pereskia grandifolia, Haw.
Phyllocactus Ackermannii, Walt.
Rhipsalis Cassyta, Gaertn.
„ salicornioides, Haw. Suppl.

Campanulaceae.

N † **Campanula Erinus**, Linn.

- † „ medium, Linn.
† „ macrostyla, Boiss & Helces.
† „ pyramidalis, Linn.
„ sulphurea, Boiss.

Campanula carpatica, Jacq. Hort.

„ fragilis, Cyrill.

† „ Rapunculus, Linn.

„ bononiensis, Linn.

„ alliariaefolia, Willd.

Canarina campanulata, Linn.

Specularia hybrida, Linn.

N „ speculum, D. C.

N Trachelium coeruleum, Linn.

Capparidaceae.

N † Capparis spinosa, Linn. var: rupestris L.

Cleome graveolens, Rafin.

Caprifoliaceae.

N † Lonicera implexa, Soland.

„ japonica, Thunb.

N Sambucus Ebulus, Linn.

„ nigra, Linn.

Viburnum Opulus, Linn.

„ suspensum, Lindl.

„ Tinus, Linn.

„ tomentosum, Thunb.

Caryophyllaceae.

N Alsine procumbens, Vahl.

N „ tenuifolia, Linn. Crantz.

N † Cerastium glomeratum, Thuill.

Cucubalus baccifer, Linn.

† Dianthus Caryophyllus, Linn.

† „ chinensis, Linn.

† „ Hellwigii, × Barb. ex Aschers.

„ laciniatus, Hort.

„ Armeria, Linn.

„ gallicus, Pers.

- Dianthus deltoides, Linn.
" virginicus, Linn.
" barbatus, Linn.
† Gypsophyla elegans, Bieb.
† " " var. rosea, Hort.
† Lychnis coeli-rosea, Desr.
† " coronaria, Desr.
" pyrenaica, Berger.
" Flos-Jovis, Desr. in Lam.
" Flos-Cuculi, Linn.
" segetalis, Hort.
" alpina, Linn.
N † " Githago, Scop.
" corsica, Loisel.
† Saponaria calabrica, Linn.
† " ocymoides, Linn.
" officinalis, Linn.
N † Silene nocturna, Linn.
" nutans, Linn.
N † " sericea, All.
" viridiflora, Linn.
" conoidea, Linn.
N † " nivea, Muhl. Cat. ex D. C.
N † " inflata, Smith.
N † " italicica, Pers.
N † " Behen, Linn.
" inaperta, Linn.
N " fruticosa, Linn.
" compacta, Fisch.
N † " sedoides, Poir.
N † " var. alba, Hort.
" Drummondii, Hook.
" aegyptiaca, Linn.
" pendula, Linn.
" muscipula, Linn.
† " hispida, Desf.

- Silene squamigera, Boiss.
N † Spergularia rubra Linn.
N † Stellaria media, Linn.

Casuarinaceae.

- † Casuarina Cunninghamiana, Miq.
" equisetifolia, Linn.
" stricta, Dryand. in Ait.

Celastrinaceae.

- Cassine maurocenia, Linn.
† Celastrus punctulatus, Sieb. et Zucc.
Euonymus japonicus, Linn. Fil.
" " var. fol. variegatis, Hort.

Chenopodiaceae.

- N † Atriplex hastatum, Linn.
N " Halimus, Linn.
Beta chilensis, Linn.
N † " maritima, Linn.
† Chenopodium amaranthicolor, Hort.
N † " murale, Linn.
N † " opulifolium Schrad.
N † " olidum, Curt.
Hablitzia tamnoides, Bieb.
N † Kochia tricophylla, Möllers.
† " arenaria, Roth. in Schrad.
† Rhagodia nutans, R. Br.
N Salicornia herbacea, Linn.
N † Salsola Kali, Linn.
N † " Soda, Linn.
† Spinacia oleracea, Linn.
N Suaeda fruticosa, Linn.
N " Jacquinii, Linn.
N " maritima, Linn.

Cistaceae.

N *Cistus incanus*, Linn.

Compositae.

- N † *Achillea Millefolium*, Linn.
† „ *Ptarmica*, Linn.
„ *magna*, Linn.
„ *santalinoïdes*, Lag. Gen. et Sp.
„ *rupestris*, Huter ex Beck.
† „ *Ageratum*, Linn.
† „ *ligustica*, All.
† *Ageratum brachystephanum*, Regel.
N † *Ambrosia maritima*, Linn.
N † *Anthemis arvensis*, Linn.
N † „ *Urvilleana*, D. C.
† „ *Triumfetti*, All.
† „ *altissima*, Linn.
† „ *Chia*, Linn.
† „ *austriaca*, Jacq.
† *Artemisia arborescens*, Linn.
† „ *Absinthium*, Linn.
† „ Spec.
† *Anacyclus Pyrethrum*, D. C.
† *Ammobium alatum*, R. Br.
† „ „ *grandiflorum*, Hort.
† *Acroclinum roseum*, Hook.
Amberboa moschata, Less.
† *Aster rotundifolia*, Thunb.
„ *acris*, Linn.
† „ *salicifolius*, Ait.
† „ *Dumosus*, Linn.
N † *Asteriscus aquaticus*, Linn.
N † „ *spinosus*, Linn.
N † *Atractylis cancellata*, Linn.
N † *Bellis annua*, Linn.

- † *Cineraria hybrida*, Hort. Vilm.
† „ „ var. *compacta*, Hort.
N † *Cichorium Intybus*, Linn.
„ *pumilum*, Jacq.
N † „ *spinosum*, Linn.
N † *Conyza ambigua*, D. C.
† *Coreopsis bicolor*, Bosse.
† „ „ Tom. Thumb. var., Hort.
† „ *Drummondi*, Torr. & Gray.
† „ *tinctoria*, Mutt.
† „ *hybrida*, Hort.
N *Crepis bulbosa*, Linn.
N † „ *virens*, L.
† *Cosmos bipinnatus*, Cav.
† „ *sulphureus*, Cav.
† *Cynara Cardunculus*, Linn.
† „ *Scolymus*, Linn.
† *Dahlia Juarezii*, Hort.
† „ *variabilis*, Desf.
† *Dimorphotheca pluvialis*, Moench.
† *Dichrocephala latifolia*, D. C.
N † *Evax pygmaea*, Linn.
N *Echinops Ritro*, Linn.
Eupatorium janthinum, Hemsl.
† *Erigeron speciosum*, D. C.
N † *Filago prostrata*, Parl.
„ *spathulata*, Presl.
Gazania Pavonia, R Br. in Ait.
† *Galinsoga brachystephana*, Regel.
† *Gaillardia pulchella*, Fouger.
† „ „ var. *grandiflora*, Hort.
N † *Galactites tomentosa*, Moench.
† *Helianthus annuus*, Linn.
† „ *cucumerifolius*, Torr. & Gray.
† *Helichrysum orientale*, Gaertn.
N † „ *rupestre*, D. C.

- N † *Helminthia echioides*, Linn.
N † *Hedypnois mauritanica*, Schousb.
N † „ *polymorpha*, D. C.
N † „ „ var. *tuba-formis*, Tenore.
Heliopsis patula, Wendl.
Hieracium vulgatum, Fries.
Helenium quadridentatum, Labill.
N † *Hyoseris lucida*, Linn.
N † „ *radiata*, Linn.
N † „ *scabra*, Linn.
N † *Inula crithmoides*, Linn.
N † „ *graveolens*, Linn.
N † „ *viscosa*, Linn.
N † *Jasonia glutinosa*, Linn.
Kleinia articulata, Haw.
† *Lactuca sativa*, Linn.
N † „ *virosa*, Linn.
Lappa major, Gaertn.
Lapsana communis, Linn.
‡ *Lonas inodora*, Gaertn.
† *Leptosyne maritima*, A. Gray in Proc
N † *Maruta cotula*, D. C.
N † *Melitella pusilla*, Somm.
N † „ „ var. *laciniata*, Borg.
Mikania scandens, Willd.
N † *Matricaria Chamomilla*, Linn.
† „ *inodora*, Linn.
Montanea bipinnatifida, C. Koch.
Madia sativa, Molina. Sagg.
N † *Notobasis syriaca*, Linn.
N † *Onopordum Sibthorpiatum*, Boiss.
† *Palafoxia texana*, D. C.
† *Podolepis acuminata*, R. Br. in Ait.
N † *Picridium vulgare*, Desf.
N *Podospermum lacinatum*, Linn.
N † *Phagnalon graecum*, Boiss.

- N Pulicaria dysenterica, Linn.
Pyrethrum cinerariaefolium, Trev.
† ~~Pyrethrum~~, hybridum, Wendel.
„ Parthenium, Sm. Fl. Brit.
- N † Rhagadiolus stellatus, Linn.
Rudbeckia amplexicaulis, Vahl. in Skriv.
Rodigia commutata, Spreng.
- N † Senecio Cineraria, D. C.
† „ Petasites, D. C.
N † „ pygmaeus, D. C.
N † „ leucanthemifolius, Poir.
„ Koempferi, D. C.
- N † „ vulgaris, Linn.
† „ elegans, Linn.
„ umbrosus, Waldst.
„ Doria, Linn.
„ erucifolius, Benth.
- N † Scolymus hispanicus, Linn.
N „ grandiflorus, Desf.
Solidago fragrans, Willd.
- † Spilanthes Acmella, Murr. Syst.
- N † Silybum marianum, Linn.
Santolina chamaecyparissus, Linn.
„ viridis, Willd.
- N † Sonchus levis, Bert.
N † „ asper, Hill.
N † „ tenerimus, Linn.
- † Stevia spec.
- † Tagetes erecta, Linn.
„ minuta, Linn.
„ patula, Linn.
„ „ var. bicolor, Hort.
„ signata pumila, Bartl.
- Tanacetum boreale, Fisch. ex Link.
- „ vulgare, Linn.
- N Thrincia tuberosa, Linn.

- Tragopogon pratense, Linn.
N † Urospermum picroides, Linn.
Verbesina alata, Linn.
N † Xanthium spinosum, Linn.
„ strumarium, Linn.
† Xeranthemum annum, Linn.
„ „ var. superbissimum, Hort.
† Zinnia elegans, Jacq.
† „ grandiflora, Nutt. in Trans.

Coniferae.

- Araucaria Bidwilli, Hook.
„ Brasiliana, A. Rich.
„ Cooki, R. Br. ex Don.
„ excelsa, R. Br.
N † Callitris quadrivalvis, Vent.
Cupressus macrocarpa, Hartw.
„ elegans, Hort.
† „ sempervirens, Linn. var: horizontalis
Hort.
† „ sempervirens, Linn. var: pyramidalis
Hort.
† „ sempervirens, Linn. var: fastigiata Hort.
Ginkgo biloba, Linn.
N † Pinus halepensis, Mill.
† „ Pinaster, Soland.
Podocarpus macrophylla, D. Don. in Lamb.
† Thuya occidentalis, Linn.
† „ orientalis, Linn.

Convolvulaceae.

- N † Convolvulus althaeoides, Linn.
N † „ pentapetaloides, Linn.
N „ „ Sepium, Linn.
N † „ siculus, Linn.
N † „ arvensis, Linn.

- N † *Convolvulus tricolor*, Linn.
N † „ *lineatus*, Linn
N „ *oleaefolius*, Desr.
† „ „ *farinosus*, Linn.
† *Ipomoea rubro-coerulea*, Hook.
„ „ *purpurea*, Roth.
† „ „ *alba*, Linn.
„ „ *versicolor*, Meissm.
„ „ *luxurians*, Morie.
„ „ *triloba*, Linn.
„ „ *luteola*, Jacq.
„ „ *cirrhoides*, Hort.
„ „ *superba*, Schrank. ex Colla.
„ „ *Schiedeana*, Ham. in Lindl.
„ „ *Quamoclit*, Linn.

Cornaceae.

- Aucuba japonica*, Thunb.
Garrya elliptica, Dougl.

Crassulaceae.

- Bryophyllum calycinum*, Salisb.
Cotyledon orbiculata, Linn.

„ *perfossa*, Lam.

Crassula crenata, Desf.

- „ *lactea*, Lam.
„ *coccinea*, Linn.
„ *lycopodioides*, Lam.
„ *spathulata*, Thunb.

† *Kalanchoë thyrsiflora*, Haw. in Harv. C. Soland.

Rochea falcata, D. C.

Sedum dasypodium, Linn.

- N † „ *heptapetalum*, Linn.
N „ „ *nicaense*, All.
N † „ „ *rubens*, Linn.

- N † *Sedum stellatum*, Linn.
N „ *Telephium*, Linn.
N *Sempervivum arboreum*, Linn.
N † *Umbilicus horizontalis*, Guss.
N *Tillaea muscosa*, Linn.

Cruciferae.

- † *Alyssum Benthami*, Hort.
N † „ *maritimum*, Linn.
N † *Biscutella didyma*, Linn.
† „ *leiocarpa*, D. C.
† *Brassica alba*, Boiss.
N „ *adpressa*, Moench.
N † .. *campestris*, Linn.
N † „ *nigra*, Kock.
† „ *oleracea*, Linn.
N † „ *Sinapistrum*, Boiss.
N † *Cakile maritima*, Scop.
N † *Capsella Bursa-pastoris*, Linn.
† *Camelina sativa*, Crantz, Stirp.
N † *Cheiranthus Cheiri*, Linn.
N † *Conringia orientalis*, Dum.
Cochlearia *Armoracia*, Linn.
N † *Coronopus didymus*, Linn.
N † „ *procumbens*, Gilibert.
N † *Diplotaxis erucoides*, D. C.
N † „ *muralis*, D. C.
N † „ *tenuifolia*, Linn.
N † „ *viminea*, Linn.
N † *Eruca sativa*, Mill.
N *Enarthrocarpus pterocarpus*, Pers.
† *Erysimum officinale*, Linn.
Hesperis *matronalis*, Linn.
† *Iberis amara*, Linn.
„ *Gibraltarica*, Linn.

- † *Iberis sempervirens*, Linn.
† „ *umbellata*, Linn.
† *Ionopsidium acaule*, Reicht.
Isatis tinctoria, Linn.
N † *Lepidium Draba*, Linn.
N † „ *Iberis*, Linn.
† „ *sativum*, Linn.
† „ *virginicum*, Linn.
† *Lunaria annua*, Linn.
N † *Malcolmia africana*, R. Br.
N † „ *maritima*, R. Br.
N † *Matthiola incana*, Linn.
† „ „ var. *alba*,
† „ „ var. *azurea*,
† „ „ var. *rubra*,
N † „ *tricuspidata*, Linn.
N † *Nasturtium officinale*, R. Br.
N † *Raphanus Landra*, Moretti.
N † „ *Raphanistrum*, Linn.
N † *Sisymbrium altissimum*, Linn.
N † „ *Irio*, Linn.
N † „ *officinale*, Linn.
† *Succovia balearica*, Medik.

Cucurbitaceae.

- † *Bryonopsis laciniosa*, Naud.
Benincasa cerifera, Savi.
† *Citrullus vulgaris*, Schrad.
† *Cucumis melo*, Linn.
† *Cucurbita pileiformis*, M. Roem.
N † *Ecballium Elaterium*, A. Rich.
† *Lagenaria vulgaris*, Ser.
† *Luffa acutangula*, Roxb.
„ spec.
† *Momordica Charantia*, Linn.

Sechium edule, Sweet.

Trichosanthes anguinea, Linn.

Cupuliferae

Corylus Avellana, Linn.

Quercus Ilex, Linn.

† „ *Robur*, Linn var: *pedicellata*.

Cycadæ.

Ceratozamia mexicana, Brongn.

† *Cycas revoluta*, Thum.

Dipsaceæ,

N † *Scabiosa atropurpurea*, Linn.

† „ *maritima*, Linn.

Elatinaceæ.

N *Elatine Hydropiper*, Linn. var *macropoda*, Guss.

Ericaceæ.

N *Erica multiflora*, Linn.

Euphorbiaceæ.

Acalypha cuneata, Poepp.

„ *musaica*, Hort.

„ *tricolor*, Seem.

N *Andrachne telephiooides*, Linn.

Buxus balearica, Lam.

„ *sempervirens*, Linn.

N † *Crozophora tinctoria*, Linn.

N † *Euphorbia aleppica*, Linn.

„ *altissima*, Boiss.

N † „ *pinea*, Linn.

„ *Ipecacuhana*, Linn.

N † „ *Peplus*, Linn.

- † *Euphorbia platiphylla*, Linn.
„ *pulcherrima*, Willd.
† „ *groeca*, Boiss. C. Sprun.
„ *splendens*, Boj. ex Hook.
„ *piscatoria*, Ait.
„ *Candelabrum*, Trèmaut.
N „ *Chamaesyce*, Linn.
N „ *maculata*, Linn.
N † „ *helioscopia*, Linn.
N † „ *spinosa*, Linn.
„ *Caput-Medusae*, Linn.
N † „ *Characias*, Linn.
N † „ *dendroides*, Linn.
N † „ *Terracina*, Linn.
N „ *Paralias*, Linn.
N † „ *exigua*, Linn.
„ *virosa*, Willd.
„ *spec.*
Homalanthus Leschenaultianus, A. Juss.
N † *Mercurialis annua*, Linn.
Phyllanthus Epiphyllanthus, Linn.
„ *nivosus*, Bull.
N † *Ricinus communis*, Linn.
N † „ „ *var sanguineus*, Hort.

Ficoideae.

- N *Mesembryanthemum acinaciforme*, Linn.
„ *ciliatum*, Thunb.
N † „ *cordifolium*, Linn.
„ *crystallinum*, Linn.
„ *coccineum*, Haw.
N † „ *deltoides*, Linn.
„ *nodiflorum*, Linn.
„ *rubricaule*, Willd.
„ *tenuifolium*, Linn.

- Mesembryanthemum uncinatum, Linn.
† Tetragonia expansa Murr. in Comm.

Frankeniaceae.

- N Frankenia intermedia, D. C.
N „ pulverulenta, Linn,

Fumariaceae.

- N † Fumaria agraria, Leg.
N † „ densiflora, D. C.
N † „ officinalis, Linn.

Geraniaceae.

- N † Erodium cicutarium, Linn.
N † „ laciniatum, Cav.
N † „ malachoides, Linn.
N † „ moschatum, Burn.
N † Geranium dissectum, Linn.
N † „ grandiflorum, Willd.
„ anemonefolium, L'Her.
N † „ molle, Linn.
N † „ Robertianum, Linn.
N † „ rotundifolium, Linn.
† Impatiens Balsamina, Linn.
„ Sultani, Hook. f.
† Pelargonium graveolens, L'Her.
„ hybridum, Soland.
N † „ inquinans, Soland. in Ait.
„ odoratissimum, Soland.
„ triste, Soland.
† „ zonale, L'Her. ex Soland.
† Tropaeolum majus, Linn.
„ „ Tom Thumb var. Hort.
„ peregrinum, Linn.

Gentianeae.

- N † *Chlora perfoliata*, Linn.
N † *Erythrea pulchella*, Sw.
,, *Centaurium*, Pers.

Gesneraceae.

- Tydaea picta*, DCNE.

Hydrophyllae.

- † *Nemesia insignis*, Bentn.
† *Phacelia campanularia*, A. Grag.

Hypericineae.

- N *Hypericum aegyptiacum*, Linn.
" *chinense*, Linn.
N " *crispum*, Linn.
N " *tomentosum*, Linn.

Illecebraceae.

- N † *Herniaria cinerea*, Linn.
N † *Paronychia argentea*, Linn.
N † " *nivea*, D. C.
N † *Polycarpon tetraphyllum*, Linn.

Juglandaceae.

- Juglans regia*, Linn.

Labiatae.

- N † *Ajuga Iva*, Linn.
N " *reptans*, Linn.
N † *Ballota nigra*, Liun.
† *Coleus Verschaffeltii*, Ch. Lem.
† *Hyssopus officinalis*, Linn.
N † *Lamium amplexicaule*, Linn.

- † *Lavandula dentata*, Linn.
† „ *multifida*, Linn.
† „ *Spica*, Cav.
† *Leonotus Leonurus*, R. Br.
 Lophanthus anisatus, Benth.
N † *Marrubium vulgare*, Linn.
N † *Melissa officinalis*, Linn.
N † *Mentha aquatica*, Linn.
† „ *piperita*, Linn.
N † „ *Pulegium*, Linn.
† „ *viridis*, Linn.
 Nepeta latifolia, D. C.
† *Ocimum Basilicum*, Linn.
† „ *minimum*, Linn.
† *Origanum majorana*, Linn.
 „ *vulgare*, Linn.
N † *Phlomis fruticosa*, Linn.
N † *Prasium majus*, Linn.
N *Rosmarinus officinalis*, Linn.
N „ „ var. *prostratus*, Hort.
† *Satureja hortensis*, Linn.
N † „ *microphylla*, D'Urville.
N † „ *Nepeta*, Linn.
 Salvia argentea, Linn.
 „ *azurea*, Lam.
 „ *coccinea*, Juss. et Musr.
N † „ *clandestina*, Linn.
 „ *Grahami*, Benth.
 „ *involucrata*, Cav.
N † „ *officinalis*, Linn.
† „ *splendens*, Ker. Gawl.
N † „ *triloba*, Linn.
N † *Sideritis romana*, Linn.
N † *Stachys hirta*, Linn.
N † *Thymus capitatus*, Linn.
 „ *vulgaris*, Linn.

- N Teucrium Chamoedrys, Linn.
N † „ flavum, Linn.
N † „ fruticans, Linn.
„ Marum, Linn.

Lauraceae.

- N † Laurus nobilis, Linn.
Ocotea foetens, Benth C. Hooker.
Persea gratissima, Gaertn.

Leguminosae.

- † Acacia cyanophylla, Lindl.
† „ Farnesiana, Willd.
„ longifolia, Willd.
† „ spadicigera, Cham.
† „ calamifolia, Sweet.
„ lophanta, Willd.
† „ armata, R. Br.
„ glaucescens, Willd.
„ penninervis, Sieber.
„ pentadenia, Lindl.
„ uncinella, Benth.
† Albizzia Julibrissim, Durazzini.
N † Anagyris foetida, Linn.
† Arachys hypogea, Linn.
N Anthyllis Hermanniae, Linn.
N N „ tetraphylla, Linn.
N † „ Vulneraria, Linn.
Amorpha fruticosa, Linn.
N † Astragalus boeticus, Linn.
N † „ hamosus, Linn.
N † „ sesameus, Linn.
Bauhinia purpurea, Linn.
† Caesalpinia Gillesii, Wall. ex Hook.
† „ Sappan, Linn.

- † *Cassia emarginata*, Linn.
† „ *laevigata*, Willd.
„ *fistula*, Linn.
† „ *floribunda*, Cav.
N † *Ceratonia Siliqua*, Linn.
† *Cercis Siliquastrum*, Linn.
† „ *canadensis*, Linn.
↑ *Cicer arietinum*, Linn.
N † *Coronilla Emerus*, Linn.
N † „ *scorpioides*, Linn.
N † „ *Valentina*, Linn.
† *Cytisus albus*, Link.
Dioclea glycinoidea, Hort.
Desmodium pendulum, F. Muel.
N † *Dolichos Lablab*, Linn.
N † *Ervum Ervilia*, Linn.
N † „ *gracile*, Lois.
† „ *Lens*, Linn.
N † „ *hirsutum*, Linn.
Erythrina Crista-Galli, Linn.
Galega officinalis, Linn.
Genista aethnensis, D. C.
„ *alba*, Linn.
† „ *Andreana*, Linn.
Gleditschia caspica, Desf.
† „ *triacanthos*, Linn.
Glycyrrhiza glabra, Linn.
N † *Hedysarum coronarium*, Linn.
N † *Hippocrepis ciliata*, Willd.
N † „ *multisiliquosa*, Linn.
N † „ *unisiliquosa*, Linn.
N *Hymenocarpus circinatus*, Savi.
Indigofera australis, Willd.
„ *Gerardiana*, Harv. in Harv. C. Sond.
Kennedya nigricans, Lindl.
N † *Lathyrus Aphaca*, Linn.

- N † *Lathyrus Clymenum*, Linn.
" *Nissolia*, Linn.
" *undulatus*, Boiss.
" *venenosus*, Muhl. ex Willd.
N † " *Gorgoni*, Parl.
N † " *Ochrus*, Linn.
N † " *Cicera*, Linn.
N † " *annuus*, Linn.
" *odoratus*, Linn.
" *latifolius*, Linn.
N " *sphaericus*, Retz.
N † *Lotus creticus*, Linn.
N † " *decumbens*, Poir.
N † " *edulis*, Linn.
N † " *ornithopodioides*, Linn.
† *Medicago arborea*, Linn.
" *sativa*, Linn.
N " *lupulina*, Linn.
N " *orbicularis*, Linn.
N † " *denticulata*, Willd.
N † " *minima*, Gruf.
N † " *ciliaris*, Linn.
N " *sphaerocarpa*, Bert.
N † " *tuberculata*, Willd.
N " *rugosa*, Desr.
N " *marina*, Linn.
N † " *litoralis*, Rohde.
N † " *Echinus*, D. C.
N † " *scutellata*, Mill.
† *Mimosa pudica*, Linn.
N † *Melilotus elegans*, Salzm.
N † " *sulcatus*, Dest.
N † " *segetalis*, Brot.
N † " *infestus*, Guss.
N † " *Messanensis*, Linn.
N † " *coeruleus*, Desr. ir. Lam.

- Myroxylon Pereirae, Klotzsch.
N Ononis reclinata, Linn.
N † „ ornithopodioides, Linn.
N † „ Sieberi, Besser.
N „ Natrix, Linn.
N † „ biflora, Desf.
N „ Celumnae, All.
† Parkinsonia aculeata, Linn.
† Phaseolus Caracalla, Linn.
N † Pisum arvense, Linn
Poinciana regia, Boj.
N † Psoralea bituminosa, Linn.
Schotia brachypetala, Sond.
N † Scorpium subvillosa, Linn.
† Sophora japonica, Linn.
N † Spartium junceum, Linn.
Swainsonia rosea grandiflora, Hort.
Tamarindus indica, Linn.
Templetonia retusa, R. Br.
N † Tetragonolobus purpureus, Linn.
N † Trifolium stellatum, Linn.
N † „ scabrum, Linn.
N † „ resupinatum, Linn.
N † „ tomentosum, Linn.
N † „ suffocatum, Linn.
N „ repens, Linn.
„ „ var. hibernicum, Hort.
N † „ nigrescens, Viv.
N † „ agrarium, Linn.
N † „ intermedium, Guss.
N † „ angustifolium, Linn.
N „ Chérleri, Linn.
† Trigonella Foenum-groecum, Linn.
N „ monspeliaca, Linn.
N † Vicia lutea, Linn.
† „ Faba, Linn.

- N † *Vicia narbonensis*, Linn.
N † „ „ var *serratifolia*, Hort.
N † „ *sativa*, Linn.
N „ „ var. *amphicarpa*, Hort.
N † „ *villosa*, Roth.

Linaceae.

- † *Linum africanum*, Linn.
† „ *campanulatum*, Linn.
N † „ *decumbens*, Desf.
† „ *perenne*, Linn.
† „ *regale*, Hort. Van Houtte.
† „ *strictum*, Linn.
† „ *usitatissimum*, Linn.
† „ *grandiflorum*, Desf.
N † „ *gallicum*, Linn.
† *Radiola linoides*, Roth.

Lobeliaceae.

- † *Lobelia Erinus*, Linn.
† „ „ var. *alba*, Hort.
„ „ „ speciosa, Hort.

Lythraceae.

- N † *Lythrum Graefferi*, Ten.
N † „ *hyssopifolia*, Linn.
† „ *Salicaria*, Linn.
N *Punica Granatum*, Linn.
„ „ var. *fl. pleno*, Hort.

Magnoliaceae;

- Magnolia grandiflora*, Linn.

Malpighiaceae.

- Malpighia glabra*, Linn.

Malvaceae.

- N † *Abutilon Avicennae*, Gaertn.
† „ *Bedfordianum*, A. St. Hill.
 „ *incanum*, Sweet.
 „ *striatum*, Dicks.
† *Althaea officinalis*, Cav.
 „ *officinalis*, Linn.
† „ *rosea*, Cav.
 „ „ var. fl. pleno, Hort.
† *Gossypium arboreum*, Linn.
† „ *herbaceum*, Linn.
† „ *religiosum*, Linn.
† *Hibiscus esculentus*, Linn.
 „ *phoeniceus*, Linn.
 „ „ var. flor. pleno, Hort.
 „ *Rosa-sinensis*, Linn.
 „ *schizopetalus*, Hook.
 „ *syriacus*, Linn.
Lagunaria Patersoni, G. Don.
N † *Lavatera arborea*, Linn.
N † „ *cretica*, Linn.
N † „ *trimestris*, Linn.
† *Malope trifida*, Cav.
† „ *moschata*, Linn.
 „ „ var. alba, Hort.
N † „ *sylvestris*, Linn.
Malvaviscus arboreus, Cav.
† *Pavonia hastata*, Cav.

Meliaceae.

- † *Melia Azedarach*, Linn.

Myoporineae.

- N † *Myoporum seriatum*, R. Br.

Myrtaceae.

- † *Eucalyptus corynocalyx*, F. Muell.
 „ *globulus*, Labill.
 „ *longifolia*, Link.

Eugenia Smithii, Poir.

Feijoa Sellowiana, Berg.

N † *Myrtus communis*, Linn.

† „ var: *leiocarpa*, Wright. in Sauv.

Psidium Guajava, Linn.

Nyctaginaceae.

Boerhaavia scandens, Linn.

Bougainvillaea glabra, Choisy. in D. C.
 „ *lateritia*, Hort.
 „ *spectabilis*, Willd.
 „ *spec.*

N † *Mirabilis Jalapa*, Linn.

Oxybaphus floribundus, Choisy. in D. C.

Nymphaeaceae.

Nelumbium speciosum, Willd.

Numphar luteum, Sibth. C. Sm.

Nymphaea alba, Linn.

„ *rosea*, Sweet.

Oleaceae.

† *Jasminum azoricum*, Linn.

„ *fruticans*, Linn.

„ *grandiflorum*, Linn.

„ *officinale*, Linn.

„ *primulinum*, Hort.

„ *Sambac*, Soland. in Ait.

Ligustrum japonicum, Thunb.

† „ *nepalense*, Wall.

„ *ovalifolium*, Hassk.

- Ligustrum pyrenaicum*, Gouan.
Linociera compacta, R. Br.
N † *Olea europaea*, Linn.
† „ „ var. *sativa*, H. et L.
Osmanthus fragrans, Lour.
Syringa vulgaris, Linn.

Onagrariaceae.

- Boisduvalia Douglasii*, Spach.
† *Clarkia alba*, Hort.
† „ „ var. fl. pl., Hort.
† „ *elegans*, Dougl.
† „ *integrifolia*, Hort.
† „ *pulchella*, Pursh.
N † *Epilobium Tournefortii*, Michal.
Fuchsia coccinea, Soland. in Ait.
„ *macrostemma*, Ruitz. C. Pav.
Lopezia racemosa, Cav.
Oenothera amoena, Lehm.
† .. *biennis*, Linn.
„ *gloriosa*, Hort.
„ *rosea*, Soland. in ait.
„ *Schamini*, Hort.
† „ *Whitneyi*, A. Gray, in Proc.

Oxalidaceae.

- N *Oxalis cernua*, Thunb. (*bulbilli*).
N „ „ var. fl. pl. Hort. (*bulbilli*).
N † „ *corniculata*, Linn.
„ *purpurea*, Linn.

Papaveraceae.

- † *Argemone Barkleyana*, Penny.
Bocconia cordata, Willd.
N † *Chelidonium majus*, Linn.

- Corydalis glauca, Pursh.
† Eschscholtzia californica, Cham.
† " " crocea alba, Benth.
N † Glaucium flavum, Crantz.
Hunnemannia sumariaefolia, Sweet.
† Hypecoum procumbens, Linn.
Meconopsis cambrica, Vig.
Papaver bracteatum, Lindl.
" dubium, Linn.
N † " hybridum, nudicaule, Linn.
" nudicaule, Linn.
N † " pinnatifidum, Moris.
N † " Rhoeas, Linn.
N † " setigerum, D. C.
N † " somniferum, Linn.
† " var. album, Hort.

Passifloreæ.

- Passiflora alba, Link & Otto.
" coccinea, Aubl.
" coerulea, Linn.

Pedalineæ.

- † Sesamum indicum, Linn.

Phytolaccaceæ.

- Phytolacca decandra, Linn.
† " dioica, Linn.
† Rivina humilis, Linn.

Piperaceæ.

- Piper nigrum, Linn.

Pittosporaceae.

Pittosporum crassifolium, Soland ex Putterd.

† „ *Tobira*, Dryand.

„ „ var. fol. varieg. Hort.

Plantaginaceae.

N † *Plantago albicans*, Linn.

N † „ *Coronopus*, Linn.

N † „ *Lagopus*, Linn.

N † „ *lanceolata*, Linn.

N † „ *major*, Linn.

N † „ *Psyllium*, Linn.

N † „ *serraria*, Linn.

Plumbaginaceae.

Ceratostigma plumbaginoides, Bunge.

N † *Plumbago capensis*, Thunb.

N † „ *europea*, Linn.

N † „ *zeylanica*, Linn.

N † *Statice reticulata*, Linn.

† „ *sinensis*, Girard.

† „ *Suworowi*, Regel.

Polemoniaceae.

Cobaea scandens, Cav.

Gilia tricolor, Benth.

† *Phlox Drummondi*, Hook.

† „ *Stellaria*, A. Gray.

Polemonium mexicanum, Cerv. ex Lag.

Poligalaceae.

N *Polygala monspeliaea*. Linn.

„ *myrtifolia*, Linn.

Polygonaceae.

- † *Antigonon leptopus*, Hook.
 „ var: *leucasteri*, Hort.
N † *Emex spinosa*, Linn.
 Fagopyrum esculentum, Moench.
 „ *tataricum*, Gaertn.
 Muechlembechia adpressa, Meissm.
N † *Polygonum aviculare*, Linn.
 „ *articulatum*, Linn.
 „ *Baldschuacichum*, Regel.
N † „ *Convolvulus*, Linn.
N † „ *maritimum*, Linn.
 „ *lapathitolum*, Linn.
N *Rumex bucephalophorus*, Linn.
 „ *conglomeratas*, Murr.
 „ *pulcher*, Linn.
 „ spec.

Portulacaceae.

- † *Portulaca grandiflora*, Hook.
 „ „ var. *fl. pleno*, Hort.
N † „ *oleracea*, Linn.
 Portulacaria afra, Jacq.

Primulaceae.

- N † *Anagallis arvensis*, Linn.
N † „ „ var. *punicea*, D, C.
† *Cyclamen persicum*, Mill.
Primula grandiflora, Lam.
 „ *Kewensis*, Hort.
 „ *malacoides*, Franch.
 „ *obconica*, Hance.
 „ *sinensis*, Sabine. ex Lindl.
N † *Samolus Valerandi*, Linn.

Proteaceae.

Grevillea robusta, A. Cunn in R. Br.

Ranunculaceae.

- Aconitum Napellus, Linn.
N † Adonis microcarpus, D. C.
N † Anemone coronaria, Linn.
N „ hortensis, Linn.
† Aquilegia chrysantha, A. Gray.
† „ Skinneri, Hook.
„ superba, Hort.
„ vulgaris, Linn.
N † Clematis cirrhosa, Linn
„ Vitalba, Linn.
Cimicifuga racemosa, Mult.
„ japonica, Spreng.
† *Delphinium Ajacis*, Linn.
† „ „ var. *hyacinthiflorum*, Hort.
N „ halteratum, Sibth.
N † „ *Staphysagria*, Linn.
Helleborus foetidus, Linn.
„ niger, Linn.
N † *Nigella damascena*, Linn.
† „ *hispanica*, Linn.
Ranunculus acris, Linn.
† „ asiaticus, Linn.
N † „ arvensis, Linn.
N † „ bullatus, Linn.
N † „ diversifolius, Gilibert.
N † „ Ficaria, Linn.
N † „ flabellatus, Desf.
N † „ macrophyllus, Desf.
N † „ muricatus, Linn.
N „ ophioglossifolus, Vill.
† *Thalictrum aquilegitolium*, Linn.

Resedaceae.

- N † *Reseda alba*, Linn.
N „ *lutea*, Linn.
„ *Luteola*, Linn.
† „ *odorata*, Linn.

Rhamnaceae.

- † *Colletia cruciata*, Gill. et Hook.
„ *spinoso*, Lam.
N † *Paliurus aculeatus*, Lam.
N † *Rhamnus Alaternus*, Linn.
N „ *oleoides*, Linn.
N † *Zizyphus sativa*, Gaertn.

Rosaceae.

- Crataegus Azarolus*, Linn.
N † „ *oxyacantha*, Linn.
† *Eriobotrya japonica*, Lindl.
Fragaria indica, Andr.
„ *vesca*, Linn.
† *Potentilla argentea*, Linn.
N † „ *reptans*, Linn.
N † *Poterium Sanguisorba*, Linn.
Prunus Amygdalus, Stokes.
„ *spinosa*, Linn.
Pyrus Sorbus, Gaertn.
N „ *communis*, Linn.
„ *Cydonia*, Linn.
„ *Malus*, Linn.
† *Raphiolepis indica*, Lindl.
† „ *ovata*, Briot.
Rosa Banksiae, R. Br. in Ait.
„ *centifolia*, Linn.
N † „ *gallica*, Linn.
N † „ *sempervirens*, Linn.
„ *Thea*, Savi.
Spiraea cantoniensis, Lour.

Rubiaceae.

- N † *Asperula longiflora*, W. & Kit.
† *Coprosma lucida*, Forst.
N *Crucianella rupestris*, Guss.
N † *Galium Aparine*, Linn.
N „ *saccharatum*, All.
N † „ *tricorne*, With.
Gardenia grandiflora, Lour.
„ *Thunbergia*, Linn. fil.
N *Putoria calabrica*, Linn. fil.
Rondeletia odorata, Jacq.
N † *Rubia peregrina*, Linn.
N † *Sherardia arvensis*, Linn.
N † *Vaillantia muralis*, Linn.

Rutaceae.

- † *Atalantia buxifolia*, Oliv.
† *Citrus Aurantium*, Linn.
† „ *Bergamia*, Risso.
† „ *Bigaradia*, Loisel.
† „ *Limonum*, Risso.
† „ *medica*, Linn.
Correa speciosa, Ait
Diosma ericoides, Linn.
Evodia hupensis, Forst.
Murraya exotica, Linn.
† *Peganum Harmala*, Linn.
N † *Ruta graveolens* L. var. *bracteosa*, D. C.
„ *macrophylla*, Soland. in Bat. Mag.
Zanthoxylum alatum, Roxb.

Salicaceae.

- N *Populus alba*, Linn.
N *Salix pedicellata*, Desf.

Sapindaceae.

- † *Cardiospermum Halicacabum*, Linn.
Dodonaea cuneata, Rudge.
" *Thunbergiana*, Eckl. C. Zeyh.
† *Koëlreuteria paniculata*, Laxm.
Melianthus major, Linn.
† *Sapindus Saponaria*, Linn.

Sapotaceae.

- † *Pouteria suavis*, Hort.

Saxifragaceae.

- Deutzia scabra*. Thunb.
Hydrangea Hortensia, Siebold.
Philadelphus coronarius, Linn.

Serophulariaceae.

- N † *Antirrhinum Asarina*, Linn.
N † " *majus*, Linn.
N † " *Orontium*, Linn.
N † " *siculum*, Meria.
Alonsoa grandiflora, Hort.
Bartsia Trixago, Linn.
N " *viscosa*, Linn.
N † *Calceolaria pinnata*, Linn.
N † " *herbacea*, Hort. Vilm.
N † *Celsia cretica*, Linn.
" var. *Arcturus*, Hort.
Collinsia bicolor, Benth.
Digitalis purpurea, Linn.
N † *Linaria commutata*, Bernh.
N † " *chaleensis*, Linn
N † " *Cymbalaria*, Linn.
N † " *dalmatica*, Mill. Gard. Dict.
N † " *Elatine*, Linn.

- Linaria genistifolia, Mill. Gard. Dict.
† „ heterophylla, Desf.
N † „ minor, Linn.
„ multipunctata, Hoffmogg.
N † „ maroccana, Hook.
N † „ pseudolaxiflora, Lojae.
N † „ spuria, Linn.
N † „ triphylla, Linn.
- Maurandia scandens, A. Gray.
- Mimulus cardinalis, Douglas. ex Benth.
„ luteus, Linn.
† „ tigrinus, Hort.
- † Nemesia versicolor, E. Mey.
- Penstemon barbatus, Roth. Catalect.
„ Digitalis, Nutt.
„ gentianoides, Poir.
- Russellia juncea, Zucc.
- N † Scrophularia aquatica, Linn.
† „ orientalis, Linn.
† „ peregrina, Linn.
„ sambucifolia, Linn.
- † Verbascum phoeniceum, Linn.
- N † „ sinuatum, Linn.
- N „ Thapsus, Linn.
- † Veronica Andersonii, Lindl. & Paxt.
- N † „ Anagallis, Linn.
N † „ arvensis, Linn.
N † „ hederaefolia, Linn.
† „ Proelta, Willd.
† „ salicifolia, Forst. fil.

Selaginaceae.

Globularia vulgaris, Linn.

Simarubiaceae.

- N † Ailanthus glandulosa, Desf.
Cneorum tricoccum, Linn.

Solanaceae.

- † *Atropa Belladonna*, Linn.
† *Browallia demissa*, Linn.
Brunfelsia macrophylla, Benth. in D. C.
† *Capsicum annuum*, Linn.
† „ *longum*, D. C.
 „ *microcarpum*, Link.
 „ *minimum*, Roxb.
 „ *pendulum*, Willd.
 „ „ var. *fr. luteo*, Hort.
Cestrum aurantiacum, Lindl.
 „ *elegans*, Schlecht.
 „ *fastigiatum*, Jacq.
 „ *Parqui*, L'Her.
Datura arborea, Linn.
 „ *cornigera*, Hook.
† „ *chlorantha*, Hook.
 „ *ferox*, Linn.
† „ *fastuosa*, Linn.
† „ *Metel*, Linn.
† „ *quercifolia*, H. B. et K.
N † „ *Stramonium*, Linn.
N † *Hyoscyamus albus*, Linn.
† „ *niger*, Linn.
† „ *physaloides*, Linn.
Iochroma tubulosum, Benth.
Juanulloa aurantiaca, Otto & Dietr.
N † *Lycium chinense*, Mill.
N „ *europeum*, Linn.
† *Lycopersicum esculentum*, Hill.
† *Nicotiana alata*, Link & Otto.
N † „ *glauca*, R. Graham.
 „ *rustica*, Linn.
† „ *Tabacum*, Linn.
† „ *virginica*, Agardth.
N † *Nycandra physaloides*, Gaertn.

- † *Petunia hybrida*, Hort. Vilm.
† „ *nyctaginiflora*, Juss.
N † *Physalis peruviana*, Linn.
† „ var. *pubescens*, Linn.
† *Salpiglossis sinuata*, Ruitz. & Pavon.
† *Schizanthus pinnatus*, Ruitz. & Pavon.
Solandra grandiflora, Sweet.
Solanum arboreum, Humb. et Bonpl.
„ *Dombeyi*, Dun. in D. C.
† „ *Dulcamara*, Linn.
„ *Fontanesianum*, Dun. in Poir.
„ *guinense*, Linn.
„ *Melongena*, Linn.
† „ var. *ovigerum*, Dun.
„ *muricatum*, Ait. Hort. Kew.
N † „ *nigrum*, Linn.
N † „ var. *moschatum*, J. & C. Presl.
† „ *pseudo-capsicum*, Linn.
„ *robustum*, H. Wendl.
N † „ *sodomeum*, Linn.
„ *tuberosum*, Linn.
„ *verbascifolium*, Linn.
„ *Warszewiczii*, Hort. ex Lambertye.
„ *Wendlandii*, Hook.
† *Withania somnifera*, Dun.

Sterculiaceae.

- † *Cola heterophylla*, Schott.
† *Sterculia acerifolia*, A. Cunn.
† „ *platinifolia*, Linn.

Tamaricaceae.

- N *Tamarix africana*, Poir.
N „ *gallica*, Linn.

Ternstroemiaceae.

Camellia japonica, Linn.

Tiliaceae.

† *Corchorus olitorius*, Linn.
Sparmannia africana, Linn.

Umbelliferae.

- N † *Ammi majus*, Linn.
Angelica sylvestris, Linn.
† *Anthriscus cerefolius*, Hoffm.
N † *Apium graveolens*, Linn.
N † *Bifora testiculata*, Linn.
N † *Bupleurum subovatum*, Link.
Carum Carvi, Linn.
N † „ *Petroselinum*, Benth. & Hook.
† *Conium maculatum*, Linn.
Coriandrum sativum, Linn.
N † *Crithmum maritimum*, Linn.
† *Cuminum Cyminum*, Linn.
N † *Daucus Carota*, Linn.
N „ *Gingidium*, Linn.
N *Eryngium maritimum*, Linn.
N † *Foeniculum piperitum*, Sweet.
N † „ *vulgare*, Mill.
N † *Ferula communis*, Linn.
N „ var: *glauca*, Linn.
N † *Heliosciadum nodiflorum*, Linn.
N *Kundmannia sicula*, Linn.
Levisticum officinale, Koch. in Nov.
N *Oenanthe globulosa*, Linn.
N † *Orlaya maritima*, Gouan.
† *Pimpinella Anisum* Linn.
N „ *peregrina*, Linu.
N *Ptychotis ammoides*, Linn.

- N *Ridolfia segetum*, Linn.
 N † *Scandix Pecten-veneris*, Linn.
 N † *Smyrnium Olusatrum*, Linn.
 N † *Tordylium apulum*, Linn.
 N † *Torilis nodosa*, Linn.

Urticaceæ.

- Boehmeria argentea*, Linden, in Belg.
 † *Cannabis sativa*, Linn.
Celtis australis, Linn.
Ficus altissima, Blume, Bijdr.
 ,, *Beniamina*, Linn.
 ,, *Carica*, Linn.
 ,, *citrifolia*, Hort. ex Lam.
 ,, *dealbata*, Hort. ex Hérincq.
 ,, *elastica*, Roxb. Hort.
 ,, var. fol. varieg. Hort.
 ,, *Hookeri*, Sweet, Hort. Brit.
 ,, *lucida*, Dryand. in Ait. Hort, Kew.
 ,, *macrophylla*, Desf.
 ,, *magnoliaefolia*, Blume.
 ,, *repens*, Rottl.
 ,, *senegalensis*, Miq. l. c.
 ,, *Vogelii*, Miq. l. c.
 ,, spec.
Humulus japonicus, Sieb. & Zucc.
 ,, *Lupulus*, Linn.
 • *Maclura aurantiaca*, Nutt.
Morus alba, Linn.
 ,, *pendula*, Hort.
 ,, *cucullata*, Banaf. Sul. Gels.
 ,, *nigra*, Linn.
 N † *Parietaria officinalis*, Linn.
Pilea muscosa, Lindl.
 N † *Theligonum Cynocrambe*, Linn.

N *Ulmus campestris*, Linn.

N † *Urtica pilulifera* Linn.

N † „ *urens*, Linn.

Valerianaceae.

N † *Centranthus Calcitrapa*, Linn

† „ *macrosiphon*, Boiss.

† „ *var. fl. albo*, Hort.

† „ *ruber*, D. C.

N † *Fedia Cornucopiae*, Gaertn.

Valeriana officinalis, Linn.

† *Valerianella carinata*, Loisel.

N † „ *eriocarpa*, Desv.

Verbenaceae.

Callicarpa americana, Linn.

Cyathraexylon quadrangulare, Jacq.

Clerode. dron fallax, Lindl.

„ *fragrans*, Willd.

† *Duranta Plumieri*. Jucq.

† *Lantana Camara*, Linn.

„ „ *var. fl. luteo*, Hort.

Lippia citriodora, H. B. et K.

Verbena bonariensis, Linn.

† „ *hybrida*, Hort. Vilm.

N † „ *officinalis*, Linn.

† „ *venosa*, Gill & Hook.

N † *Vitex Agnus-Castus*, Lind.

Violaceae.

N † *Viola odorata*, Linn.

„ „ „ *var. fl. pleno*, Hort.

† „ „ „ *var. fl. albo*, Hort.

† „ „ „ *tricolor*, Linn.

Zygophyllaceae.

- N *Fagonia cretica*, Linn.
 N † *Tribulus terrestris*, Linn.
 † *Zygophyllum Fabago*, Lion.
-

MONOCOTYLEDONES.

Alismaceae.

- N † *Alysma Plantago*, Linn.
 N „ „ var: *latifolium*, Gilib.
 N *Damasonium Alisma*, Mill.

Amaryllidaceae.

- Agave americana*, Linn.
 „ „ var. *fol. variegata*, Hort.
 „ *applanata*, Lem. ex Jacobi.
 „ *heteracantha*, Zuce.
 „ *mitraeformis*, Jacobi.
 „ *ingens*, C. Kock.
 „ *Lindleyi*, Jacobi. in Abh.
 „ *polyacantha*, Haw.
 „ *vivipara*, Linn.

Alstroemeria pulchella, Lin. Fil.

† *Amaryllis Belladonna*, Linn.

Clivia nobilis, Lindl.

Crinum longifolium, Thumb.

„ *Moorei*, Hook.

Doryanthes Palmieri, W. Hill.

Eucharis grandiflora, Ph. & Linden.

Furcraea Bedinghausii, C. Kock.

Häemanthus albiflos, Jacq. Hort.

„ *coccineus*, Linn.

„ *tigrinus*, Jacq.

† *Hippeastrum vittatum*, Herb. Hort.

Leucojum vernum, Linn.

Narcissus incomparabilis, Mill. Gard. Diet.

„ Jonquilla, Linn.

„ odorus, Linn.

„ moschatus, Linn.

„ poeticus, Linn.

„ var: fl. pleno, Hort.

N † „ serotinus, Linn.

N „ Tazetta, Lois.

Pancratium caribicum, Linn.

N † „ maritimum, Linn.

Polianthes tuberosa, Linn.

Sternbergia lutea, Ker-Gawl.

† Vallota purpurea, Herb.

Araceae.

Acorus Calamus, Linn.

N Arisarum vulgare, Targ.-Tozz.

N Arum italicum, Mill.

„ palaestinum, Boiss.

Caladium esculentum, Vent

N Colocasia antiquorum, Schott.

N Dracunculus vulgaris, Schott.

Monstera deliciosa, Liebn.

Philodendron imbe, Schott. in Wien.

„ verrucosum, Mathieu.

Pothos aureus Linden.

„ spec.

† Richardia africana, Kunth.

Bromeliaceae.

Aechmea bromeliaefolia, Baker. ex Benth.

Billbergia thyrsoides, Mart.

Karatia fulgens, Antoine.

Pitcairnia Altensteinii, Lem. in Fl. des Serres.

Pourretia mexicana, Ruitz. & Pavon.

Commelinaceae.

- † *Tradescantia discolor*, L'Her.
 ,, *repens*, Vend. in Roem.
 ,, *virginiana*, Linn.
Zebrina pendula, Schnizl.

Cyperaceae.

- N † *Carex distans*, Linn.
N † ,, *divisa*, Huds.
 ,, *Schreberi*, Schrank, Baier.
N † ,, *serrulata*, Biv.
N † ,, *vulpina*, Linn.
Cyperus alternifolius, Linn.
N † ,, *esculentus*, Linn. (bulbilli).
N † ,, *longus*, Linn.
† ,, *Papyrus*, Linn.
N † *Galilea mucronata*, Linn.
N † *Scirpus Holoschoenus*, Linn.
N † ,, *lacustris*, Linn.

Dioscoreaceae.

- N *Dioscorea divaricata*, Blanco.
N *Tamus communis*, Linn.

Equisetaceae.

- N *Equisetum ramosissimum*, Desf.

Gnetaceae.

- N *Ephedra altissima*, Desf.
 ,, *distachya*, Linn.
N ,, *fragilis*, Desf.

Graminaceae.

- N † *Aegilops ovata*, Linn.
† *Agropyrum campestre*, Godr. & Green.
 ,, *caninum*, Beauv.

- N † *Agrostis verticillata*, Vill.
N † *Aira cupaniana*, Guss.
† „ *elegans*, Forr. et Loisell.
N *Ampelodesmos tenax*, Link, Hort.
Andropogon distachyon, Linn.
† „ *saccharatum*, Moench.
N † *Anthoxanthum gracile*, Bivon.
† „ *odoratum*, Linn.
† *Apera Spica-Venti*, Beauv.
N † *Arundo Donax*, Linn.
N † „ *Pliniana*, Tura.
† *Avena sativa*, Linn.
N † „ *sterilis*, Linn.
Bambusa arundinacea, Willd.
„ *Fortunei*, Hort. Van Houtte.
„ *nigra*, Lodd. Cat.
Beckmannia erucae-folia, Host.
N † *Brachypodium distachy whole*, Linn.
† „ *ramosus*, Linn.
N † „ *sylvaticum*, Huds.
N † *Briza maxima*, Linn.
N † „ *minima*, Linn.
Bromus brizaeformis, Fisch & May.
† „ *ciliatus*, Linn.
† „ *macrostachyus*, Desf.
N † „ *madritensis*, Linn.
N † „ *maximus*, Desf.
„ *purgans*, Linn.
† „ *racemosus*, Linn.
† *Chlorodopsis blanchardiana*, Gay.
† *Chrysopogon Gryllus*, Trin.
† *Coix Lachryma*, Linn.
N *Crypsis aculeata*, Linn.
N † *Cynodon Dactylon*, Linn.
N † *Dactylis glomerata*, Linn.
Eleusine indica, Gaertn.

- Eragrostis nebulosa, Hort.
- N † Festuca arundinacea, Schreb.
- N Gastridium lendigerum, Vill.
- † Gynerium argenteum, Nees.
- † Holcus lanatus, Linn.
- † Hordeum distachyon, Linn.
- N † „ murinum, Linn.
- N † Koeleria phleoides, Vill.
- N † Lagurus ovatus, Linn.
- N † Lamarchia aurea, Linn.
- N † Lepturus incurvatus, Linn.
- N † Lolium perenne, Linn.
- N † „ temulentum, Linn.
- N † Lygeum Spartum, Linn.
- N † Melica minuta, Linn.
- N † Milium multiflorum, Cav.
- Mischanthus sinensis. Andress.
- „ „ var. zebrina, Hort.
- N † Panicum colonum. Linn.
- N † „ plicatum, Lam.
- N † „ repens, Linn.
- N † Pennisetum longistylum, Hochst.
- † Phalaris canariensis. Linn.
- N † „ coerulescens, Desf.
- N † „ minor, Retz.
- N „ nodosa, Murr.
- N † „ paradoxa, Linn.
- N „ tuberosa, Linn.
- N † Phragmites communis, Trin.
- N † Poa annua, Linn.
- N „ bulbosa, Linn.
- N † Polypogon monspeliensis, Linn.
- N Psamma arenaria, Linn.
- Saccharum officinarum, Linn.
- N † Scleropoa maritima, Linn.
- N † „ rigida, Linn.

- N † *Serrafalcus mollis*, Linn.
N † *Setaria verticillata*, Linn.
† *Sorghum vulgare*, Pers.
Spartina Schreberi, J. F. Gmel.
N † *Sphenopus divaricatus*, Gouan.
N *Sporobolus pungens*, Schreb.
N † *Stipa tortilis*, Desf.
N † *Trisetum aureum*, Ten.
† *Triticum sativum*, Linn.
† *Uniola latifolia*, Michx. Fl. Bor.
N † *Vulpia ciliata*, Pers.
† *Zea Mays*, Linn.

Haemodoraceae.

- Sansevieria cylindrica*, Boj. Hort. Maurit.
" *thyrsiflora*, Thunb.
" *zeylanica*, Willd.
" " *fol. varieg.* Hort.

Hydrocharidaceae.

- Vallisneria spiralis*, Linn.

Iridaceae.

- Anomatheca cruenta*, Lindl.
N † *Antholyza aethiopica*, Linn.
N † *Crocus longiflorus*, Raf.
" *sativus*, Linn.
Dierama cherifolia, C. Koch.
† *Freesia refracta*, Klatt.
" " " *var. fl. luteo*, Hort.
† *Gladiolus gandavensis*, × Van Houtte.
" " *var. Lemoine*, Hort.
" *nanus*, Andr.
N † " *segetum*, Ker-Gawl.

- Iris aphylla, Linn.
„ florentina, Linn.
„ foetidissima, Linn.
N † „ germanica, Linn.
„ hybrida, Retz.
„ laevigata, Fisch. ex Fisch. & Mey.
„ pallida, Lam.
N † „ Sisyrinchium, Linn.
„ susiana, Linn.
„ variegata, Linn.
„ „ var. aurea, Hort.
„ Xiphium, Linn.
Ixia paniculata, D. Dietr.
Libertia grandiflora, Sweet, Hort. Brit.
N † Romulea Columnae, Seb. et Maur.
N † „ var. melitensis, Big.
„ var. ramiflora, Ten.
Tigridia Pavonia, Ker-Gawl.
Tritonia crocata, Ker-Gawl.
„ fenestrata, Ker-Gawl.

Juncaceae.

- N** Juncus acutus, Linn.
N „ bufonius, Linn.
N † „ lamprocarpus, Ehrh.

Liliaceæ.

- † Agapanthus umbellatus, L'Her.
„ „ var. fol. varieg. Hort.
N † Allium Ampeloprasum, Linn.
N „ Chamaemoly, Linn.
N „ neapolitanum, Cyr.
N † „ roseum, Linn.
† „ sativum, Linn.
N † „ subhirsutum, Linn.

- Aloe arborescens, Mill.
„ ciliaris, Haw.
„ Cooperi, Baker.
N „ vera, Linn.
N † Asphodelus fistulosus, Linn.
N † „ ramosus, Linn.
Asphodeline lutea, Reichb.
Aspidistra elatior, Blume.
„ „ var. varieg. Regel.
N Asparagus aphyllus, Linn.
† „ medeoloides, Thunb.
† „ officinalis, Linn.
„ plumosus, Baker, in Journ. Linn.
„ „ var. nanus, Hort.
† „ Sprengeri, Regel.
Bellevalia romana, Sweet, Hort.
N Caruelia arabica, Linn.
Chlorophytum Sternbergianum, Steud.
N Colchicum montanum, Linn.
Convallaria majalis, Linn.
Dasylirion longissimum, Lem.
„ seratifolium, Zucc. in Otto.
† Dianella coerulea, Sims.
† „ revoluta, R. Br.
Dracaena Draco, Linn.
„ Fontanesiana, Schult.
Gasteria angulata, Duval.
„ disticha, Haw.
„ spiralis, Baker.
„ trigona, Haw.
„ verrucosa, Duval.
Hawortia coarctata, Haw.
„ fasciata, Haw.
† „ glabrata, Baker.
† „ Radula, Haw.
† „ recurva, Haw.

- † *Hawortia spiralis*, Duval.
„ *tesellata*, Haw.
† *Hemerocallis flava*, Linn.
† „ *fulva*, Linn.
„ „ var. fl. pleno, Hort.
Hyacinthus amethystinus, Linn.
„ *orientalis*, Linn.
„ „ var. fl. pleno, Hort.
Kniphofia aloides, Moench.
Lilium candidum, Linn.
„ *lancifolium*, Thunb.
„ *speciosum*, Thunb.
„ *tigrinum*, Ker-Gawl.
Milla uniflora, R. Grah.
N † *Muscari comosum*, Linn.
N † „ *parviflorum*, Desf.
N „ *racemosum*, Mill.
Nolina recurvata, Hensl.
N † *Nothoscordum fragrans*, Vent.
N *Ornithogalum narbonense*, Linn.
Phormium tenax, Forst.
„ „ var. fol. varieg, Hort.
Rhodea japonica, Roth.
Ruscus aculeatus, Linn.
„ *hypophyllum*, Linn.
N *Scilla autumnalis*, Linn.
† „ *peruviana*, Linn.
N † „ *sicula*, Tineo.
N *Smilax aspera*, Linn.
N „ „ var. *angustifolia*, Duthie.
„ „ *Sarsaparilla*, Linn.
† *Tulipa gesneriana*, Linn.
N „ *sylvestris*, Linn.
† *Urginea maritima*, Linn.
Veltheimia viridiflora, Jacq.
Veratrum nigrum, Linn.

Yucca aloifolia, Linn.

- “ “ var. fol. varieg, Hort.
“ *Atkinsi*, Hort. ex Baker.
“ *Treculeana*, Carr. in Rev. Hortie.

Najadaceae.

N † *Triglochin bulbosum*, Linn.

N † “ *laxiflorum*, Guss.

N *Zannichellia palustris*, Linn.

Orchidaceae.

Bletia hyacinthina, R. Br. in Ait.

Cypripedium Calceolus, Linn.

Dendrobium acuminatum, H. B. C. K.

N *Ophrys apifera*, Huds.

N “ *bombyliflora*, Link.

N † “ *fusca*, Link.

N “ *lutea*, Cav.

N “ *speculum*, Link.

N *Orchis coriophora*, Linn.

N “ *lactea*, Poir.

N “ *longicurris*, Link.

N “ *pyramidalis*, Linn.

N “ var. *Urvilleana*, Fiori.—*O. Urvilleana*

Somm. non Steud.

N “ *saccata*, Ten.

N *Serapias occultata*, Gay.

N *Spiranthes autumnalis*, Pers.

Palmaceae.

Caryota urens, Linn.

Chamaedorea elegans, Mart.

N † *Chamaerops humilis*, Linn.

Cocos australis, Mart.

- Howea Belmoreana, Becc.
„ Forsteriana, Becc.
Livistonia australis, Mart.
„ chinensis, R. Br.
† Phoenix canariensis, Hort.
† „ dactylifera, Linn.
† „ reclinata, Jacq.
„ Roebelinii, Hort.
† „ rupicola, T. Anders.
† Pritchardia filifera, Linden.
Rapis flabelliformis, L'Her.
† Sabal Adansonii, Guerns.
Trachycarpus excelsus, H. Wendl.

Pandanaceae.

Pandanus utilis, Bory.

Pontederiaceae.

Eichornia crassipes, Kunth.

Pontederia cordata, Linn.

Scitaminaceae.

Alpinia nutans, Roscoe.

† Canna indica, Linn.
„ lutea, Mill.

† Clinogyne grandis, Benth. et Hook.

Hedychium Gardnerianum, Rose.

Strelitzia Augusta, Thunb.

„ parviflora, Dryand. in Ait.

„ Reginae, Banks. in Ait.

† Thalia dealbata, Fras.

Typhaceae.

N † Sparganium ramosum, Huds.

N Typha angustifolia, Linn.

N „ latifolia, Linn.

ACOTYLEDONES.

Filices.

Adiantum Bauseii, Hort.

N †

„ Birkinheadii, Hort.

„ Capillus-Veneris, Linn.

„ concinnum, Hunb. Bonpl. et Kunth.

„ latum, Hort.

„ Farleyense, Moore.

„ Fergussonii, Moore.

„ formosum, R. Br.

„ gracillimum, Hort.

„ Luddimanianum, Hort.

„ palmatum, Hort.

„ pedatum, Hort.

„ princeps, Mart.

„ Williamsii, Hook.

Aspidium falcatum caryotideum, Wall.

Asplenium australasicum, Hook.

N †

„ marinum, Linn.

Nephrolepis cordifolia, Presl.

„ exaltata, Schott.

„ pectinata, Schott.

„ pluma, Moore.

„ tuberosa, Hook.

Platycerium alcicorne, Desv.

† *Pteris* longifolia, Linn.


„ Victoriae, Hort.

Selaginella Martensii, Hort.

J. BORG,
Professor.

C. PENZA,


Keeper Argotti Botanic Gardens.




THE BOTANIC GARDEN
OF THE
ROYAL UNIVERSITY OF MALTA

LIST OF SEEDS
FOR EXCHANGE
COLLECTED IN THE YEAR 1937.

MALTA
GOVERNMENT PRINTING OFFICE
1938.



Aeβ45




THE BOTANIC GARDEN
OF THE
ROYAL UNIVERSITY OF MALTA



LIST OF SEEDS
FOR EXCHANGE
COLLECTED IN THE YEAR 1937.

MALTA
GOVERNMENT PRINTING OFFICE
1938.



DICOTYLEDONEAE

Acanthaceae

- Acanthus mollis*, L.
,, var. *albiflorus*, Borg.
Anisacanthus Wrightii, A. Gray.
Barleria cristata, L.
Justicia ventricosa, Wall.

Amaranthaceae

- Amaranthus Caudatus*, L.
,, *groecizans*, L.
,, *salicifolius*, Hort. Veitch.
,, *tricolor*, L.
Celosia cristata, L.
Gomphrena globosa, L.

Ampelidaceae

- Vitis vinifera*, L.

Anacardiaceae

- Corynocarpus laevigata*, Forst.
Pistacia Lentiseus, L.
Rhus toxicodendron, L.
Schinus molle, L.
,, *terebinthifolius*, Raddi.

Apocynaceae

- Apocynum cannabinum*, L.
Nerium Oleander, L.
Thevetia nereifolia, Juss. ex Steud.

Araliaceae

- Hedera Helix*, L.
Sciadophyllum digitatum, G. Don.

Aristolochiaceae.

- Aristolochia elegans*, Mast.
,, *fimbriata*, Cham.

Asclepiadaceae

- Asclepias curassavica*, L.
Cryptostegia madagascariensis, Boj.
Gomphocarpus fruticosus, R. Br.
Vincetoxicum officinale, Moench

Bignoniaceae

- Bignonia Tweediana* Lind.
Tecoma Stans, Juss.

Boraginaceae

- Anchusa italicica*, Retz.
Borago laxiflora, Willd.
,, *officinalis*, L.
Cerinthe aspera, Roth.
Echium parviflorum, Moench.
,, *plantagineum*, L.
Heliotropium europaeum, L.
Lithospermum apulum, L.
Myosotis sylvatica, Hoffm.
Omphalodes linifolia, Moench.
Tournefortia Messerschmidia, Sweet.

Cactaceae

- Opuntia Ficus-indica*, Lab.

Calycerae

- Acicarpha tribuloides*, Juss.

Campanulaceae

- Campanula Erinus*, L.
Trachelium coeruleum L.

Capparidaceae

- Capparis spinosa*, L. var *rupestris*, L.
Cleome graveolens, Rafin.

Caprifoliaceae

- Lonicera implexa* Soland.

Cariophyllaceae

- Alsine procumbens*, Valh.
Cerastium glomeratum, Thuill.
Dianthus caryophyllus, L.
,, *chinensis*, L.
Gypsophyla elegans, Bieb.
Lychnis coeli-rosea, Desr.

Saponaria officinalis, L.
„ *Githago*, Scop.
Silene Behen, L.
„ *fruticosa*, L.
„ *nocturna*, L.
„ *sedoides*, Poir.
„ *sericea* All.
„ *sericea*, All var *albiflora* Hort.
„ *vespertina*, Retz.
Sagina apetala, Ard.
Spergularia rubra, L.
Stellaria media, L.

Celastrineae

Evonymus japonicus, L.

Chenopodiaceae

Atriplex hastatum, L.
„ *Halimus*, L.
Beta maritima, L.
Chenopodium amaranthicolor, Hort.
„ *murale*, L.
Chenopodium olidum, Curt.
„ *opulifolium*, Schrad.
Kochia arenaria, Roth, in Schrad.
„ *tricophylla*, Möllers.
Rhagodia nutans, R. Br.
Salsola Soda, L.
Salsola Kali, L.
Suaeda maritima, L.

Compositae

Achillea millefolium, L.
Ambrosia maritima, L.
Anthemis arvensis, L.
Artemisia Absinthium, L.
Astericus spinosus, L.
Bellis annua, L.
„ *perennis*, L.
„ *sylvestris*, Cyrill.
Calendula arvensis, L.
„ *officinalis*, L.
„ „ *var. fulgida*, Raf.
Callistephus hortensis, Cass.
Carthamus lanatus, L.
„ *tinctorius*, L.
Catananche lutea, L.
Centaurea calcitrapa, L.
„ *Crassifolia*, Bert.
„ *melitensis*, L.
„ *nicaensis*, All.

Carduus marmoratus, Boiss.
Chrysanthemum carinatum, Schoust.
„ *segetum*, L.
„ *maximum*, Ramond.
„ *Parthenenium*, Bernh.
Cineraria hybrida, Hrot.
Cichorium Intybus, L.
„ *pumilum*, Jacq.
„ *spinosum*, L.
Conyza ambigua, D.C.
Coreopsis bicolor, Bosse.
Crepis rubra, L.
„ *parviflora*, Desf.
Cynara Cardunculus, L.
„ *Scolymus*, L.
Gailardia pulchella, Fouger.
Galactites tomentosa, Moench.
Helianthus annuus, L.
„ *cucumerifolius*, Turr. &
Gray.
Helichrysum rupestre, D.C.
Helminthia echiooides, L.
Hedypnois polymorpha, D.C.
Hedypnois polymorpha, D.C.
var *tubaeformis*, Tenore.
Hyoseris lucida, L.
„ *radiata*, L.
„ *scabra*, L.
Inula viscosa, L.
Lactuca saligna, L.
„ *sativa*, L.
„ *virosa*, L.
Leptosyne maritima, A. Gray, in
Proc.
Melitella pusilla, Somm.
Matricaria chamomilla, L.
Mikania scandens, Willd.
Onopordon siphonanthum Boiss.
Picridium vulgare Desf.
Phagnalon grooveum, Boiss.
Rhagadiolus stellatus, L.
Senecio cineraria, D.C.
„ *vulgaris*, L.
Scolymus hispanicus, L.
„ *maculatus*, L.
Silybum marianum (L.) Gaertn.
Sonchus levis, Bartal.
„ *arper*, Hill.
„ *arper*, Hill.
var *spinostis*, Lam.

Tagetes erecta, L.
„ *patua*, L.
Thrincia tuberosa, L.
Urospermum picrioides, L.
Xanthium spinosum, L.
Zinnia elegans, Jacq.

Coniferae

Callitris quadrivalvis, Vent.
Pinus halepensis, Mill.

Convolvulaceae

Convolvulus arvensis, L.
„ *pentapetaloides*, L.
„ *tricolor*, L.
Ipomoea rubro-coerulea, Hook.

Crassulaceae

Sedum rubens, L.
Umbilicus horizontalis, Guss.

Cruciferae

Biscutella didyma, L.
Alyssum maritimum, L.
Iberis umbellata, L.
Lepidium Draba, L.
„ *Iberis*, L.
Malcolmia maritima, R. Br.
Nasturtium officinale, R. Br.
Raphanus Landra, Moretti.
„ *Raphanistrum*, L.
„ *sativus*, L.
Sisymbrium altissimum, L.
„ *Irio*, L.
„ *officinale*, L.
Succowia balearica, Medik.

Cucurbitaceae

Bryonopsis laciniosa, Naud.
Ecbalion Elaterium, A. Rich.
Momordica charantia, L.

Cupuliferae

Quercus Ilex, L.

Dipsacæ

Scabiosa atropurpurea, L.
„ *maritima*, L.

Ericaceae

Erica multiflora, L.

Euphorbiaceae

Euphorbia aleppica, L.
„ *dendroides*, L.
„ *Ipecacuhana*, L.
„ *pinea*, L.
„ *Terracina*, L.
Mercurialis annua, L.
Ricinus communis, L.
Ricinus communis, L.
v. *sanguineus*, Hort.

Ficoideae

Mesembryanthemum cordyfolium, L.
„ *crystallinum*, L.
„ *nodiflorum*, L.
Tetragonia expansa, Murr.

Frankeniaceae

Frankenia intermedia, D.C.

Fumariaceae

Fumaria agraria, Lag.
„ *officinalis*, L.

Geraniaceae

Erodium malachoides, L.
Geranium dissectum, L.
„ *molle*, L.
„ *Robertianum*, L.
Pelargonium inquinans, Soland in Ait.
Tropaeolum majus, L.

Gentianaceae

Erythraea pulchella, Sweet.

Hydrophyllaceae

Nemophilla insignis, Benth.

Hypericaceae

Hypericum tomentosum, L.

Illiciaceae

Herniaria cinerea, L.
Paronychia argentea, L.
Polycarpon tetraphyllum, L.

Labiatae

- Ballota nigra*, L.
Lamium amplexicaule, L.
Leonotis Leonurus, R. Br.
Marrubium vulgare, L.
Mentha Pulegium, L.
Ocimum Basilicum, L.
„ *minimum*, L.
Prasium majus, L.
Satureja microphylla. D'Urville.
Salvia clandestina, L.
„ *officinalis*, L.
Sideritis romana, L.
Stachys hirta, L.
Teucrium fruticans, L.

Lauraceae

- Laurus nobilis*, L.

Leguminosae

- Acacia cyanophylla*, Lindl.
Anthyllis tetraphylla, L.
„ *vulneraria*, L.
Astragalus boeticus, L.
„ *hamosus*, L.
Caesalpinia Gilkesii, Wall ex Hook.
Cassia emarginata, L.
Ceratonia siliqua, L.
Cercis siliquastrum, L.
Coronilla Emerus, L.
„ *scorpioides*, L.
Ervum Ervilia, L.
„ *gracile*, Lois.
Gleditschia triacanthos, L.
Hedysarum coronarium, L.
Hymenocarpus circinatus, Savi.
Hippocratea multisiliquosa, L.
Lathyrus annuus, L.
„ *cicera*, L.
„ *elymnum*, L.
„ *Gorgoni* Parl.
„ *Ochrus*, L.
„ *odoratus*, L.
„ *sphoericus*, Retz.
Lotus edulis, L.
„ *ornithopodioides*, L.

- Medicago arborea*, L.
„ *ciliaris*, L.
„ *Echinus*, D.C.
„ *litoralis*, Robde.
„ *lupulina*, L.
„ *orbicularis*, L.
„ *scutellata*, Mill.
„ *tuberculata*, Willd.

Mimosa pudica, L.

Melilotus elegans, Salzam.

„ *indicus*, All.

„ *italica*, Lam.

„ *messanensis*, L.

Ononis Sieberi, Besser.

„ *biflora*, Desf.

„ *Natrix*, L.

„ *reclinata*, L.

Pisum arvense, L.

Psoralea bituminosa, L.

Scorpiurus subvillosa, L.

„ *vermiculata*, L.

Spartium Junceum, L.

Tetragonolobus purpureus, L.

Trifolium agrarium, L.

„ *cherleri*, L.

„ *nigroeseens*, Viv.

„ *resupinatum*, L.

„ *seabrum*, L.

„ *stellatum*, L.

„ *tomentosum*, L.

Trigonella Foenum-groecum, L.

„ *monspeliaca*, L.

Vicia Faba, L.

„ *lutea*, L.

„ *narbonensis*, L.

„ *narbonensis*, L.

„ *serratifolia*, Jacq.

„ *sativa*, L.

„ „ *cuneata*, Guss.

Linaceae

Linum decumbens Desf.

„ *gallicum*, L.

„ *grandiflorum*, Desf.

„ *usitatissimum*, L.

Lobeliaceae

Lobelia Erinus, L.

„ *triquetra*, L.

Lythraceae

Lythrum Hyssopifolia, L.

Magnoliaceae

Magnolia grandiflora, L.

Malvaceae

Abutilon avicinnae, Gaertn.

Althaea rosea, Cav.

Gossypium herbaceum, L.

“ *religiosum*, L.

Lagunaria Patersonii, L.

Lavatera arborea, L.

Meliaceae

Melia Azederach, L.

Myoporineae

Myoporum serratum, R. Br.

Myrtaceae

Myrtus communis, L.

Myrtus communis, L.

var. *leiocarpa*, Wright in Sauv.

Nyctagineae

Mirabilis Jalapa, L.

Oleaceae

Jasminum Azoricum, L.

Olea europea, L.

Onagraceae

Clarkia elegans, Dougl.

Epilobium Tournefortii, Michal.

Oenothera rosea, Soland in Ait.

Oxalidaceae

Oxalis cernua, Thumb. (bulbilli).

Oxalis cernua, Thumb. var *pleniflora*,
Ces. (bulbilli).

“ *corniculata*, L.

“ *hirta*, L. (bulbilli).

“ *purpurea*, L. “

“ *tenuifolia*, Jacq. “

“ *truncatula*, Jacq. “

“ *violacea*, L. “

Papaveraceae

Chelidonium majus, L.

Esescholtzia californica, Cham.

Glaucium flavum, Crantz.

Hypecoum procumbens, L.

Papaver hybridum, L.

“ *Rhoeas*, L.

“ *setigerum*, D.C.

“ *somniferum*, L. var. *album*,
Hort.

Phytolaccaceae

Phytolacca decandra, L.

Pittosporaceae

Pittosporum Tobira, Dryand.

Plantaginaceae

Plantago albicans, L.

“ *coronopus*, L.

“ *Lagopus*, L.

“ *lanceolata*, L.

“ *major*, L.

“ *major*, L. var. *rubra*, Hort.

“ *Psyllium*, L.

“ *serraria*, L.

Plumbaginaceae

Plumbago europea, L.

Statice reticulata, L.

“ *Suworowi*, Regel.

Polemoniaceae

Phlox Drummondi, Hook.

Polygalaceae

Polygala myrtifolia, L.

Polygonaceae

Antigonon leptopus, Hook.

Emex spinosa, L.

Polygonum aviculare, L.

“ *convolvulus*, L.

Rumex bucephalophorus, L.

“ *pulcher*, L.

Portulaceae

- Portulaca grandiflora*, Hook.
,, *oleracea*, L.

Primulaceae

- Anagallis arvensis*, L.
Anagallis arvensis, L.
var. *punicea*, D.C.
Samolus valerandii, L.

Ranunculaceae

- Adonis microcarpus*, D.C.
Anemone coronaria, L.
,, *hortensis*, L.

Clematis cirrhosa, L.
Delphinium ajacis, L.
,, *halteratum*, Sibth.
,, *Staphysagria*, L.
Isopyrum fumarioides, L.
Nigella damascena, L.
,, *hispanica*, L.
Ranunculus arvensis, L.
,, *bullatus*, L.
,, *Ficaria*, L.
,, *flabellatus*, Desf.
Ranunculus macrophyllus, Desf.
,, *muricatus*, L.
Thalictrum aquilegifolium, L.

Resedaceae

- Reseda alba*, L.
,, *lutea*, L.
,, *luteola*, L.
,, *odorata*, L.

Rhamnaceae

- Colletia spinosa*, Lam.
Paliurus Spina-Christi, Mill.
Rhamnus Alaternus, L.
Zizyphus sativa, Gaertn.

Rosaceae

- Crateagus oxyacantha*, L.
Poterium Sanguisorba, L.
Raphiolepis ovata, Briot.
Rosa gallica, L.

Rubiaceae

- Coprosma lucida*, Forst.
Galium aparine, L.
,, *saccharatum*, All.
,, *tricorne*, With.
Sherardia arvensis, L.
Vailantia muralis, L.

Rutaceae

- Murraya exotica*, L.
Ruta graveolens, L.

Sapindaceae

- Koerleuteria paniculata*, Laxm.
Melianthus major L.,
,, *minor*, L.
Sapindus Saponaria, L.

Sapotaceae

- Argania Sideroxylon*, Roem. & Shult.

Scrophulariaceae

- Antirrhinum majus*, L.
,, *Orontium*, L.
,, *siculum*, Mreia.
Calceolaria pinnata, L.
Celsia cretica, L.
Linaria chalepensis, L.
,, *cymbalaria*, L.

,, *pseudolaxiflora*, Lojac.
,, *triphylla*, L.
Mimulus guttatus, Fisc.
,, *tigrinus*, Hort.
Scrophularia aquatica, L.
,, *trifoliata*, L.
,, *peregrina*, L.
Verbascum phoeniceum, L.
Veronica Anagallis, L.
,, *Beccabunga*, L.
,, *hederaefolia*, L.

Simarubiaceae

- Ailanthus glandulosa*, Desf.
Cneorum tricoccon, L.

Solanaceae

- Capsicum annum*, L.
Datura chlorantha, Hook.
,, *fastuosa*, L.
,, *ferox*, L.
,, *Metel*, L.
,, *quercifolia*, H. B. et K.
,, *Stramonium*, L.
Hyoscyamus albus, L.
,, *niger*, L.
Lycium chinense, Mill.
Nicotiana alata, Link. & Otto.
,, *glauca*, R. Graham.
Nicandra physaloides, Gaertn.
Petunia hybrida, Hort.
Solanum Dulcamara, L.
,, *fontanesianum*, Don. in Poir.
Solanum nigrum, L.
,, „ „ var. *miniatum*,
Bernh.
,, *pseudocapsicum*, L.
Withania somnifera, Don.

Sterculiaceae

- Cola heterophylla*, Schott.

Umbelliferae

- Apium graveolens*, L.
Bifora testiculata, L.
Buplureum subovatum, Link.
Conium maculatum, L.
Crithmum maritimum, L.
Daucus Carota, L.
Foeniculum vulgare, Mill.

- Ferula communis*, L.
Kundmannia sicula, L.
Oenanthe globulosa, L.
Scandix pecten-Veneris.
Tordylium apulum, L.
Torylis nodosa, L.

Urticaceae

- Cannabis sativa*, L.
Parietaria officinalis, L.
Theligonum cynocrambe, L.
Urtica pilulifera, L.
,, *urens*, L.

Valerianaceae

- Centranthus Calcitrapa*, L.
„ *ruber*, D.C.
Fedia cornucopiae, Gaertn.
Valerianella carinata, Loisel.
„ *eriocrapa*, Desv.

Verbenaceae

- Durantha Plumieri*, Jacq.
Lantana camara, L.
Verbena hybrida, Hort. Vilm.
„ *officinalis*, L.
Vitex Agnus-Cactus, Lindl.

Violaceae

- Viola tricolor*, L.

Zygophyllaceae

- Tribulus terrestris*, L.

MONOCOTYLEDONES

Alismaceae

- Alisma Plantago*, L.

Amaryllidaceae

- Narcissus serotinus*, L.
„ *Tazzetta*, Lois.
Pancratium maritimum, L.

Araceae

- Arisarum vulgare*, Targ-Tozz.
Arum italicum, Mill.
Richardia africana, Kunth.

Commelinaceae

- Tradescantia virginiana*, L.

Cyperaceae

Cyperus longus, L.

Dioscoraceae

Dioscorea divaricata, Blanco.

Gnetaceae

Ephedera fragilis, Desf.

Graminaceae

Aegylops ovata, L.

Ampelodesma tenax, Link.

Anthoxanthum gracile, Bivon.

Avena sterilis, L.

Brachypodium distachy whole, L.
,, *sylvaticum*, Huds.

Briza maxima, L.

,, *minima*, L.

Bromus madritensis, L.

Bromus purgans, L.

Dactylis glomerata, L.

Eleusine indica, Gaertn.

Koeleria phleoides, Vill.

Lagurus ovatus, L.

Lamarckia aurea, L.

Lolium perenne, L.
,, *temulentum*, L.

Lygeum Spartium, L.

Milium multiflorum, Cav.

Pennisetum longystylum, Auct. non
Hochst.

Phalaris canariensis, L.
,, *minor*, Retz.

Poa annua, L.

Polypogon monspeliensis, L.

Psamma arenaria, L.

Scleropoa rigida, L.

Serrafalcus mollis, L.

Setaria verticillata, L.

Sorghum vulgare, Pers.

Sphaenopus divaricatus, Gouan.

Trisetum aureum, Ten.

Triticum sativum, L.

Vulpia ciliata, Pers.

Zea Mais, L.

Iridaceae

Antholyza aethiopica, L.

Crocus longiflorus, Raf.

Fresia refracta, Klatt.

Gladiolus gandavensis, Van Houtte.

„ *segetum*, Ker-Gawl.

Juncaceae

Juncus Bufonius, L.

Lemnaceae

Lemna gibba, L. (pl. viv.)

„ *minor*, L.

„ *trisulca*, L.

Liliaceae

Allium roseum, L.

„ *subhirsutum*, L.

Asphodelus fistulosus, L.

„ *ramosus*, L.

Asparagus medeoloides, Thunb.

„ *Sprengeri*, Regel.

Chlorophytum Sternbergianum, Steud.

Muscari comosum, L.

Nothoscordum fragrans, Vent.

Scilla peruviana, L.

Tulipa sylvestris, L.

Urginea maritima, L.

Najadaceae

Triglochin bulbosum, Guss.

Orchidaceae

Ophrys Fusca, Link.

Orchis coriophora, L.

Palmeae

Chamaerops humilis, L.

Phoenix canariensis, Hort.

Salvinaceae

Azolla caroliniana, Willd. (pl. viv.)

Scitaminaceae

Canna indica, L.

Thalia dealbata, Fras.

Typhaceae

Sparganium ramosum, Huds.

Typha angustifolia, L.

ACOTYLEDONES

Filices

Adianthum Capillus-veneris, L.

Nephrolepis tuberosa Hook.

Pteris longifolia, L.

Please address requests, possibly before the 31st of March, 1938, to:—

The Director,
Royal University Botanic Gardens,
Floriana, Malta.

S. L. VELLA,

Director of the Botanic Gardens
and Professor of Botany.

C. PENZA,
Keeper.